


airex

MASTERING THE ELEMENTS





airex 
MASTERING THE ELEMENTS



2.

Contents



04

Display Series

- 06 Freestanding Refrigerated
- 08 Freestanding Ambient
- 10 Freestanding Heated
- 12 Countertop Refrigerated & Heated

14

Undercounter Series

- 16 1 Door - Solid & Glass
- 18 1/1GN Refrigerators
- 20 1/1GN Freezers

22

Upright Series

- 24 Refrigerators
- 26 Freezers

28

Merchandiser Series

- 30 Countertop
- 32 Upright - Slimline





airex
MASTERING THE ELEMENTS



4.

Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS





Freestanding Refrigerated

The Airex Freestanding Refrigerated Display Series has been specifically designed to display cakes and patisseries to the highest food safety standards with its adjustable digital temperature control.

Integrating a winning combination of double-glazed heated and frameless glass construction, all Airex display cabinets provide exceptional display with minimal condensation. A uniquely designed vertical integrated low volume airflow system delivers cool air to each shelf, that reduces drying of products and extends the shelf life of merchandise. The range is equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.


Perfectly matching the Heated and Ambient Series, these versatile refrigerated display cabinets provide hassle free cleaning with removable shelves and condenser filter and is fitted with heavy duty castors for easy maneuverability.



6.

Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




900 Series

AXR.FDFSSQ.09

190kg
3 Tier
2°C - 5°C
220 - 240V / 10A

870 x 688 x 1350




1200 Series

AXR.FDFSSQ.12

220kg
3 Tier
2°C - 5°C
220 - 240V / 10A

1170 x 688 x 1350



1500 Series

AXR.FDFSSQ.15

280kg
3 Tier
2°C - 5°C
220 - 240V / 10A

1470 x 688 x 1350





Freestanding Ambient

The Airex Freestanding Ambient Display Series has been specifically designed for controlled ambient temperatures and are perfectly suited for the display of a variety of breads, pastries and cakes where temperature is not a concern, but retention of quality is.

Each unit is supplied with an adjustable digital temperature control, single glazed frameless glass construction and energy efficient LED lighting for increased product visibility and exceptional display. The range is equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.


Perfectly matching the Refrigerated and Heated Series, these versatile Ambient display cabinets provide hassle free cleaning with removable shelves and condenser filter and is fitted with heavy duty castors for easy maneuverability.



8.

Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




900 Series

AXA.FDFSSQ.09

180kg
4 Tier
16°C - 20°C
220 - 240V / 10A

870 x 688 x 1350



1200 Series

AXA.FDFSSQ.12

230kg
4 Tier
16°C - 20°C
220 - 240V / 10A

1170 x 688 x 1350





Freestanding Heated

The Airex Freestanding Heated Display Series is equipped with an energy efficient fan forced heating system specifically designed to provide safe, excellent temperature control and humidity for pies, pasties and pastries with even air distribution throughout the cabinet to maintain product at the highest quality.

Designed with innovation in mind, each unit is supplied with a concealed water well positioned for hot air to be passed over, introducing humidity into the display, holding products fresher for longer. A winning combination of single glazed frameless glass construction, adjustable digital temperature control and warm LED lighting to each shelf highlights product visibility and outstanding presentation.


Perfectly matching the Refrigerated and Ambient Series these versatile Heated display cabinets provide hassle free cleaning with removable shelves and is fitted with heavy duty castors for easy maneuverability.



10.

Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




900 Series

AXH.FDFSSQ.09

870 x 688 x 1350

160kg
4 Tier
60°C - 80°C
220 - 240V / 10A




1200 Series

AXH.FDFSSQ.12

1170 x 688 x 1350

210kg
4 Tier
60°C - 80°C
220 - 240V / 10A



1500 Series

AXH.FDFSSQ.15

1470 x 688 x 1350

250kg
4 Tier
60°C - 80°C
220 - 240V / 10A





Countertop Displays

The Airex Countertop Display Series encompasses both Heated and Refrigerated Displays, ideal for areas where floor space is at a premium. Both models feature an adjustable digital temperature control, LED lighting, sliding doors to rear and frameless glass construction for outstanding display.

Countertop Refrigerated Displays feature double glazed heated glass to minimise condensation whilst simultaneously maintaining consistent temperature and keeping products looking fresher for longer. The display is also equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.


The Heated Display, specifically designed to provide safe, excellent temperature control features a water pan as standard to introduce humidity into the display and is positioned for easy access and maintenance.



12.

Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




Refrigerated

AXR.FDCTSQ.09

93kg
3 Tier
2°C - 8°C
220 - 240V / 10A

905 x 575 x 715



Heated

AXH.FDCTSQ.09

57kg
3 Tier
60°C - 80°C
220 - 240V / 10A

905 x 575 x 715





airex
MASTERING THE ELEMENTS



14.

Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS





Refrigerators & Freezers

Airex Undercounter Refrigerators can be supplied with either solid or glass doors while the undercounter Freezer offers solid doors. The range presents 600mm depth and 840mm height, making it ideal for compact or worktop applications. The range is equipped with an adjustable temperature control, environmentally friendly R600a Hydrocarbon refrigerant, two adjustable shelves and a protective coating on the refrigeration coil to help prevent corrosion. CFC free polyurethane insulation provides both structural support and thermal performance efficiency to reduce energy usage across the entire lineup.

Glass door refrigerators feature a lockable double-glazed heated door to provide exceptional display while minimising condensation.

Solid door refrigerators feature a lockable and reversible door to provide adaptability and ensure each unit will fit perfectly into every location.



16.

Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




Refrigerator

AXR.UC.1

43kg
125 Litres
-2°C - 8°C
220 - 240V / 10A

595 x 600 x 840




Refrigerator

AXR.UC.1G

48kg
125 Litres
-2°C - 8°C
220 - 240V / 10A

595 x 600 x 840



Freezer

AXF.UC.1

46kg
125 Litres
-16°C - -18°C
220 - 240V / 10A

595 x 600 x 840





1/1GN Refrigerator

Airex Undercounter 1/1GN Refrigerator Series features 2, 3 and 4 door models, each available with either solid or glass doors. Equipped with a Monoblock refrigeration system, each unit allows for improved performance through fan forced ducted cooling, ease of servicing and reliable performance. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and thermal performance to reduce energy usage.

Each Airex Undercounter unit comes standard with 1/1GN shelf configuration with adjustable runners, highly efficient compressors and EC fans, a protective coating on the refrigeration coil to help prevent corrosion, adjustable digital temperature control and energy efficient LED lighting for increased product visibility.

Glass door refrigerators feature a lockable double-glazed heated glass door to provide exceptional display while minimising condensation.


Solid door refrigerators feature self-closing lockable doors to provide security and peace of mind.




18.

Undercounter Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




2 x Solid Doors AXR.UCGN.2
 92kg
 196 Litres
 0°C - 6°C
 220 - 240V / 10A




2 x Glass Doors AXR.UCGN.2G
 100kg
 196 Litres
 0°C - 6°C
 220 - 240V / 10A




3 x Solid Doors AXR.UCGN.3
 114kg
 294 Litres
 0°C - 6°C
 220 - 240V / 10A



3 x Glass Doors AXR.UCGN.3G
 130kg
 294 Litres
 0°C - 6°C
 220 - 240V / 10A



4 x Solid Doors AXR.UCGN.4
 132kg
 421 Litres
 0°C - 6°C
 220 - 240V / 10A



4 x Glass Doors AXR.UCGN.4G
 152kg
 421 Litres
 0°C - 6°C
 220 - 240V / 10A





1/1GN Freezers

The Airex Undercounter 1/1GN Freezer range features 2 or 3 door models with reversible lockable solid doors. Equipped with a Monoblock refrigeration system, each unit allows for improved performance through fan forced ducted cooling, ease of servicing and reliable performance. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.

Each Airex Undercounter unit comes standard with 1/1GN shelf configuration with adjustable runners, highly efficient compressors and EC fans, a protective coating on the refrigeration coil to help prevent corrosion, adjustable digital temperature control and energy efficient LED lighting for increased product visibility.


Solid door freezers feature self-closing lockable doors to provide security and peace of mind.




20.

Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



2 x Solid Doors AXF.UCGN.2
94kg **1360 x 700 x 840**
196 Litres
-16°C - -20°C
220 - 240V / 10A



3 x Solid Doors AXF.UCGN.3
124kg **1795 x 700 x 840**
294 Litres
-16°C - -20°C
220 - 240V / 10A





airex
MASTERING THE ELEMENTS



22.

Upright Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS





Upright Refrigerators

The Airex Upright Refrigerator Series feature 1 or 2 door models with the option of either solid or glass doors. Airex Upright Refrigerators are equipped with a Monoblock refrigeration system and vertically integrated ducted cooling for efficient airflow throughout the entire unit. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.

Airex units are supplied standard with five adjustable shelves per door to maximise storage, with highly efficient compressors and EC fans as well as a protective coating on the refrigeration coil to help prevent corrosion. Adjustable digital temperature control and energy efficient LED lighting is also provided for increased product visibility.

Glass door refrigerators feature a self-closing, lockable, double glazed heated door that provides exceptional display while minimising condensation.


Solid door refrigerators feature a self-closing, lockable door to provide security and peace of mind.



24.

Upright Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



1 x Solid Door

AXR.URGN.1


125kg
520 Litres
0°C - 6°C
220 - 240V / 10A



1 x Glass Door

AXR.URGN.1G


144kg
520 Litres
0°C - 6°C
220 - 240V / 10A



2 x Solid Doors

AXR.URGN.2

213kg
1200 Litres
0°C - 6°C
220 - 240V / 10A



2 x Glass Doors

AXR.URGN.2G

251kg
1200 Litres
0°C - 6°C
220 - 240V / 10A





Upright Freezers

The Airex Upright Freezer Series by Airex features both 1 or 2 solid door models. All freezers are equipped with a Monoblock refrigeration system and vertically integrated ducted cooling for efficient airflow throughout the entire cabinet. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.

Airex units are supplied standard with five adjustable shelves per door to maximise storage, with highly efficient compressors and EC fans as well as a protective coating on the refrigeration coil to help prevent corrosion. An adjustable digital temperature control and energy efficient LED lighting are also fitted for effective performance and increased product visibility.


Solid door freezers feature a self-closing, lockable door to provide security and peace of mind.



26.

Upright Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




1 x Solid Door

AXF.URGN.1

135kg
520 Litres
-16°C - -20°C
220 - 240V / 10A

700 x 850 x 1990



2 x Solid Doors

AXF.URGN.2

223kg
1200 Litres
-16°C - -20°C
220 - 240V / 10A

1400 x 850 x 1990





airex 
MASTERING THE ELEMENTS



28.

Merchandiser Series





Countertop Merchandisers


The Airex Countertop Merchandiser Series has been specifically designed to provide an attractive ready-to-serve cold counter-top drink display in a compact footprint, with both pass through and single door models available to suit specific applications. Each unit offers double glazed glass for exceptional display and energy management, cyclopentane polyurethane insulation paired with an environmentally friendly R600a Hydrocarbon refrigerant to enhance performance and efficiency.

Airex Countertop Merchandiser displays are equipped with digital temperature control and fan forced airflow to deliver cool air throughout the display, energy efficient LED lighting, three adjustable shelves for flexibility and a self-closing lockable door as standard.



30.

Merchandiser Series




1 Door

44kg
78 Litres
2°C - 12°C
220 - 240V / 10A

AXR.MECT1.0994

424 x 390 x 994



Pass Through

48kg
83 Litres
2°C - 12°C
220 - 240V / 10A

AXR.MECT1P.0994

424 x 440 x 994






Upright Merchandisers

The Airex Upright Merchandiser Series has been specifically designed to provide an attractive ready-to-serve cold drink display in a compact footprint. Featuring an adjustable digital temperature control, it utilises a winning combination of double glazed glass door and energy efficient LED lighting. Assisted fan forced airflow delivers cool air to the entire display, combined with environmentally friendly R600a Hydrocarbon refrigerant and a cyclopentane polyurethane insulation, the slimline merchandiser is an efficient solution for any front of house application.

Airex sets the new standard in versatile refrigerated merchandisers with an electrostatic finish to aid in the prevention of finger print marks and smudges. The unit is supplied with five adjustable shelves as well as a self-closing lockable door and adjustable feet.



Merchandiser Series



Slimline

60kg
160 Litres
0°C - 10°C
220 - 240V / 10A

AXR.MEUR.SL

390 x 475 x 1880





Airex's extensive range of refrigeration and display products, exclusive to Stoddart, has been designed and tested in Australia to master the elements of its diverse climate. Airex's innovative and sleek line-up will fit seamlessly into any commercial setting, in retail, commercial kitchens, cafés, in either front or back of house applications. Providing outstanding food safety standards, hygiene and high-quality components, Airex sets a new standard for refrigeration and display within the food service market.



34.

woodson
Countertop Equipment

Culinaire
Reliable Kitchen
Equipment Products

ASADO
Live Fuel Cooking

Halton
Kitchen Exhaust Systems

CookTek
Unique induction cooking.

**Electrolux
PROFESSIONAL**
The world's most innovative
kitchen technology

airex
Refrigeration & Display

ANETS
American built fryers

STODDART
PLUMBING PRODUCTS

GIORIK
Essence of evolution
Combi ovens

AMERICAN RANGE
Heavy duty cooking range

STODDART
INFRASTRUCTURE

METRO
Shelving and
materials handling

**SIMPLY
STAINLESS**
Modular stainless steel
benching and shelving

ADANDE
Refrigerated
Drawers

power soak.
pot washer, continuous
motion system

TOWN&PARK
Sophisticated outdoor
furniture solutions

Perf
Perforated metal designs

STODDART



Brisbane

Sydney

Melbourne

Perth

Adelaide

1300 79 1954

www.stoddart.com.au

Auckland

0800 79 1954

www.stoddart.co.nz

Manufactured or Imported
& distributed exclusively by:



REV A/R0820