









Contents

Display Series

6 Freestanding Refrigerated

8 Freestanding Ambient

10 Freestanding Heated

12 Countertop Displays

Undercounter Series

16 Refrigerators & Freezers

18 1/1GN Refrigerator

20 1/1GN Freezers

Upright Series

24 Upright Refrigerators

26 Upright Freezers

Merchandiser Series

30 Upright Merchandisers

32 Countertop Merchandisers

Preparation Series

36 Sandwich Prep Benches

38 Pizza Prep Benches











Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS







Freestanding Refrigerated

The Airex Freestanding Refrigerated Display Series has been specifically designed to display cakes and patisseries to the highest food safety standards with its adjustable digital temperature control.


Integrating a winning combination of double-glazed heated and frameless glass construction, all Airex display cabinets provide exceptional display with minimal condensation. A uniquely designed vertical integrated low volume airflow system delivers cool air to each shelf, that reduces drying of products and extends the shelf life of merchandise. The range is equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.

Perfectly matching the Heated and Ambient Series, these versatile refrigerated display cabinets provide hassle free cleaning with removable shelves and condenser filter and is fitted with heavy duty castors for easy maneuverability.



Display Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



900 Series

172kg 3 Tier 2°C - 5°C 230VAC / 10A AXR.FDFSSQ.09

870 x 688 x 1350




1200 Series

1170 x 688 x 1350

AXR.FDFSSQ.12

198kg 3 Tier 2°C - 5°C 230VAC / 10A



1500 Series

AXR.FDFSSQ.15

242kg 3 Tier 2°C - 5°C 230VAC / 10A 1470 x 688 x 1350





Freestanding Ambient

The Airex Freestanding Ambient Display Series has been specifically designed for controlled ambient temperatures and are perfectly suited for the display of a variety of breads, pastries and cakes where temperature is not a concern, but retention of quality is.


Each unit is supplied with an adjustable digital temperature control, single glazed frameless glass construction and energy efficient LED lighting for increased product visibility and exceptional display. The range is equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.

Perfectly matching the Refrigerated and Heated Series, these versatile Ambient display cabinets provide hassle free cleaning with removable shelves and condenser filter and is fitted with heavy duty castors for easy maneuverability.



Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



900 Series

143kg 4 Tier 16°C - 20°C 230VAC / 10A AXA.FDFSSQ.09

870 x 688 x 1350

1200 Series

153kg 4 Tier 16°C - 20°C 230VAC / 10A AXA.FDFSSQ.12

1170 x 688 x 1350





Freestanding Heated

The Airex Freestanding Heated Display Series is equipped with an energy efficient fan forced heating system specifically designed to provide safe, excellent temperature control and humidity for pies, pasties and pastries with even air distribution throughout the cabinet to maintain product at the highest quality.


Designed with innovation in mind, each unit is supplied with a concealed water well positioned for hot air to be passed over, introducing humidity into the display, holding products fresher for longer. A winning combination of single glazed frameless glass construction, adjustable digital temperature control and warm LED lighting to each shelf highlights product visibility and outstanding presentation.

Perfectly matching the Refrigerated and Ambient Series these versatile Heated display cabinets provide hassle free cleaning with removable shelves and is fitted with heavy duty castors for easy maneuverability.



Display Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



900 Series

123kg 4 Tier 60°C - 80°C 230VAC / 10A AXH.FDFSSQ.09

870 x 688 x 1350



1200 Series

154kg 4 Tier 60°C - 80°C 230VAC / 10A AXH.FDFSSQ.12

1170 x 688 x 1350



1500 Series

AXH.FDFSSQ.15

180kg 60°C - 80°C 230VAC / 10A 1470 x 688 x 1350





Countertop Displays

The Airex Countertop Display Series encompasses both Heated and Refrigerated Displays, ideal for areas where floor space is at a premium. Both models feature an adjustable digital temperature control, LED lighting, sliding doors to rear and frameless glass construction for outstanding display.


Countertop Refrigerated Displays feature double glazed heated glass to minimise condensation whilst simultaneously maintaining consistent temperature and keeping products looking fresher for longer. The display is also equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.

The Heated Display, specifically designed to provide safe, excellent temperature control features a water pan as standard to introduce humidity into the display and is positioned for easy access and maintenance.



Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



Refrigerated

85kg 3 Tier 2°C - 8°C 230VAC / 10A AXR.FDCTSQ.09

905 x 575 x 700

Heated

59kg 3 Tier 60°C - 80°C 230VAC / 10A AXH.FDCTSQ.09

905 x 575 x 700











Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS







Refrigerators & Freezers

Airex Undercounter Refrigerators can be supplied with either solid or glass doors while the undercounter Freezer offers solid doors. The range presents 600mm depth and 840mm height, making it ideal for compact or worktop applications. The range is equipped with an adjustable temperature control, environmentally friendly R600a Hydrocarbon refrigerant, two adjustable shelves and a protective coating on the refrigeration coil to help prevent corrosion. CFC free polyurethane insulation provides both structural support and thermal performance efficiency to reduce energy usage across the entire lineup.


Glass door refrigerators feature a lockable double-glazed heated door to provide exceptional display while minimising condensation.

Solid door refrigerators feature a lockable and reversible door to provide adaptability and ensure each unit will fit perfectly into every location.



Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




Refrigerator

44kg

-2°C - 8°C 230VAC / 10A AXR.UC.1


595 x 600 x 840



Refrigerator

49kg -2°C - 8°C 230VAC / 10A AXR.UC.1G

595 x 600 x 840



Freezer

AXF.UC.1

46kg -16°C - -18°C 595 x 600 x 840

230VAC / 10A





1/1GN Refrigerator

Airex Undercounter 1/1GN Refrigerator Series features 2, 3 and 4 door models, each available with either solid or glass doors. Equipped with a Monoblock refrigeration system, each unit allows for improved performance through fan forced ducted cooling, ease of servicing and reliable performance. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and thermal performance to reduce energy usage.

Each Airex Undercounter unit comes standard with 1/IGN shelf configuration with adjustable runners, highly efficient compressors and EC fans, a protective coating on the refrigeration coil to help prevent corrosion, adjustable digital temperature control and energy efficient LED lighting for increased product visibility.


Glass door refrigerators feature a lockable double-glazed heated glass door to provide exceptional display while minimising condensation.

Solid door refrigerators feature self-closing lockable doors to provide security and peace of mind.



Undercounter Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



2 x Solid Doors

AXR.UCGN.2


102kg 0°C - 6°C 230VAC / 10A 1360 x 700 x 840



2 x Glass Doors

AXR.UCGN.2G


107kg 0°C - 6°C 230VAC / 10A 1360 x 700 x 840



3 x Solid Doors

AXR.UCGN.3


122kg 0°C - 6°C 230VAC / 10A 1795 x 700 x 840



3 x Glass Doors

AXR.UCGN.3G

133kg 0°C - 6°C 230VAC / 10A 1795 x 700 x 840




4 x Solid Doors

AXR.UCGN.4

0°C - 6°C 230VAC / 10A 2230 x 700 x 840

164kg 0°C - 6°C 230VAC / 10A

4 x Glass Doors



AXR.UCGN.4G

2230 x 700 x 840





1/1GN Freezers

The Airex Undercounter 1/1GN Freezer range features 2 or 3 door models with reversible lockable solid doors. Equipped with a Monoblock refrigeration system, each unit allows for improved performance through fan forced ducted cooling, ease of servicing and reliable performance. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.


Each Airex Undercounter unit comes standard with 1/IGN shelf configuration with adjustable runners, highly efficient compressors and EC fans, a protective coating on the refrigeration coil to help prevent corrosion, adjustable digital temperature control and energy efficient LED lighting for increased product visibility.

Solid door freezers feature self-closing lockable doors to provide security and peace of mind.



Undercounter Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



2 x Solid Doors

-16°C - -20°C 230VAC / 10A AXF.UCGN.2

1360 x 700 x 840



3 x Solid Doors

-16°C - -20°C 230VAC / 10A AXF.UCGN.3

1795 x 700 x 840





















Upright Refrigerators

The Airex Upright Refrigerator Series feature 1 or 2 door models with the option of either solid or glass doors. Airex Upright Refrigerators are equipped with a Monoblock refrigeration system and vertically integrated ducted cooling for efficient airflow throughout the entire unit. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.

Airex units are supplied standard with five adjustable shelves per door to maximise storage, with highly efficient compressors and EC fans as well as a protective coating on the refrigeration coil to help prevent corrosion. Adjustable digital temperature control and energy efficient LED lighting is also provided for increased product visibility.

Glass door refrigerators feature a self-closing, lockable, double glazed heated door that provides exceptional display while minimising condensation.


Solid door refrigerators feature a self-closing, lockable door to provide security and peace of mind.





Upright Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



1 x Solid Door

130kg 0°C - 6°C 230VAC / 10A AXR.URGN.1


700 x 850 x 1990



1x Glass Door

138kg 0°C - 6°C 230VAC / 10A AXR.URGN.1G


700 x 850 x 1990



2 x Solid Doors

197kg 0°C - 6°C 230VAC / 10A AXR.URGN.2

1400 x 850 x 1990



2 x Glass Doors

205kg 0°C - 6°C 230VAC / 10A AXR.URGN.2G

1400 x 850 x 1990





Upright Freezers

The Airex Upright Freezer Series by Airex features both 1 or 2 solid door models. All freezers are equipped with a Monoblock refrigeration system and vertically integrated ducted cooling for efficient airflow throughout the entire cabinet. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.


Airex units are supplied standard with five adjustable shelves per door to maximise storage, with highly efficient compressors and EC fans as well as a protective coating on the refrigeration coil to help prevent corrosion. An adjustable digital temperature control and energy efficient LED lighting are also fitted for effective performance and increased product visibility.

Solid door freezers feature a self-closing, lockable door to provide security and peace of mind.



Upright Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



1 x Solid Door

132kg -16°C - -20°C 230VAC / 10A AXF.URGN.1

700 x 850 x 1990



2 x Solid Doors

223kg -16°C - -20°C 230VAC / 10A AXF.URGN.2

1400 x 850 x 1990









Merchandiser Series







Upright Merchandisers

The Airex Upright Merchandiser Series has been specifically designed to provide an attractive ready-to-serve cold drink display in a compact footprint. Featuring an adjustable digital temperature control, it utilises a winning combination of double glazed glass door and energy efficient LED lighting. Assisted fan forced airflow delivers cool air to the entire display, combined with environmentally friendly R600a Hydrocarbon refrigerant and a cyclopentane polyurethane insulation, the slimline merchandiser is an efficient solution for any front of house application.

Airex sets the new standard in versatile refrigerated merchandisers with an electrostatic finish to aid in the prevention of finger print marks and smudges. The unit is supplied with five adjustable shelves as well as a self-closing lockable door and adjustable feet.



Merchandiser Series



Slimline

52kg 0°C - 10°C 230VAC / 10A AXR.MEUR.SL 390 x 475 x 1880

STODDART




Countertop Merchandisers

The Airex Countertop Merchandiser Series has been specifically designed to provide an attractive ready-to-serve cold counter-top drink display in a compact footprint. Offering double glazed glass with warm air blown up all sides to minimise condensation providing exceptional display. Exceptional energy management, cyclopentane polyurethane insulation paired with an environmentally friendly R600a Hydrocarbon refrigerant to enhance performance and efficiency.

Airex Countertop Merchandiser displays are equipped with digital temperature control and fan forced airflow to deliver cool air throughout the display, energy efficient LED lighting, three adjustable shelves for flexibility and a self-closing door as standard.



Merchandiser Series



Countertop

36kg 2°C - 12°C 220-240VAC / 10A AXR.MECT.1.0966

452 x 406 x 966







Preparation Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS





Sandwich Prep Benches

Airex Sandwich Preparation benches offer a range of flexible options including 1, 2 and 3 door configurations with the option of a sleek and modern, toughened frameless glass gantry, fixed with mid-shelf. High-end quality and aesthetic with 1/3 GN pan compatibility, the refrigerated service well generates cold air that distributes both above and below ingredient pans. The unique full-length, coated evaporator coil provides uniformed cooling across the entire well while operating as a fully self-contained unit.


Supplied with sliding Perspex lids for the blown well, digital temperature display and control, cutting board and 100mm deep 1/3GN pans.

Fitted castors (2 lockable) provide the perfect solution for ongoing hygiene and flexibility.



Preparation Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



1 x Solid Door

112kg 5 x 1/3GN 2°C - 5°C 230VAC / 10A AXR.SW.1025

1025 x 845 x 915


2 x Solid Doors

AXR.SW.1740

175kg 9 x 1/3GN 2°C - 5°C

230VAC / 10A

1740 x 845 x 915



3 x Solid Doors

226kg 13 x 1/3GN 2°C - 5°C 230VAC / 10A AXR.SW.2450

2450 x 845 x 915

to suit 1025, 1740 & 2450 wide units

Glass Gantry

AXR.SW.xxxx.GAN

500d x 450h

*AXR.SW.1025.GAN model shown





Pizza Prep Benches

Airex Pizza Preparation benches are available in 1, 2 and 3 door configurations. With 1/3 GN pan compatibility, the angled refrigerated service well generates cold air that distributes both above and below ingredient pans. The unique full-length, coated evaporator coil provides uniformed cooling across the entire well while operating as a fully self-contained unit.


Supplied with removable insulated tilting stainless steel night lids, digital temperature display and control and pizza racks with dropping tray.

The exclusive design provides value for money while offering ideal flexibility. Each sized unit is fitted on castors (2 lockable) for ease of cleaning and adaptable to any new or existing location.



Preparation Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



1 x Solid Door

115kg 5 x 1/3GN 2°C - 5°C 230VAC / 10A AXR.PM.1025


1025 x 895 x 1070

9 x 1/3GN 2°C - 5°C

179kg


230VAC / 10A

2 x Solid Doors



AXR.PM.1740

1740 x 895 x 1070



3 x Solid Doors

AXR.PM.2450

233kg 13 x 1/3GN 2°C - 5°C 230VAC / 10A 2450 x 895 x 1070





Airex's extensive range of refrigeration and display products, exclusive to Stoddart, has been designed and tested in Australia to master the elements of its diverse climate. Airex's innovative and sleek line-up will fit seamlessly into any commercial setting, in retail, commercial kitchens, cafés, in either front or back of house applications. Providing outstanding food safety standards, hygiene and high-quality components, Airex sets a new standard for refrigeration and display within the food service market.











Halton















AMERICAN NANGE





SYNERGY* grill technology



TOWN&PARK











Brisbane

Sydney

Melbourne

Perth

Adelaide

1300 79 1954 www.stoddart.com.au

Auckland

0800 79 1954 www.stoddart.co.nz

Manufactured or Imported & distributed exclusively by:







